



Our ref: WR21/17367

3 June 2021

The Chief Executive Officer  
Livingstone Shire Council  
PO Box 2292  
Yeppoon Qld 4703  
Michael.Ryan@livingstone.qld.gov.au

Attention: Michael Ryan

Dear Sir / Madam,

**Request to agree to exemption certificate**

The Department of State Development, Infrastructure, Local Government and Planning received your request for an exemption certificate to be given for the development described below on 14 May 2021.

**Applicant details**

---

Applicant name: Livingstone Shire Council  
Applicant contact details: (07) 4913 5000

**Premises details**

---

Street address: Merv Anderson Park, Yeppoon  
Real property description: 12SP143269  
Local government area: Livingstone Shire Council

**Development details**

---

Development permit Operational works for a new footpath (proposed and future) which connects the disabled carpark space located near the existing boat ramp at the northern end of Merv Anderson Park

As described above in accordance with the following plans/specifications.

Plans/specifications	Prepared by	Date	Reference no.	Version /issue
<b>Aspect of development: Operational Works</b>				
Proposed Access Path Working Plan	Livingstone Shire Council	14/05/2021	19-070-02	A

#### **Assessable development**

This exemption certificate relates to the following provisions of the Planning Regulation 2017:

- Schedule 10, Part 17, Division 1, Section 28 (Planning Regulation 2017) – Operational works that is work in a coastal management district

#### **Reasons for giving the exemption certificate**


This exemption certificate is given as the effects of the development would be minor or inconsequential, considering the circumstances under which the development was categorised as assessable development.

#### **When exemption certificate ceases to have effect**



Pursuant to section 46(8) of the *Planning Act 2016* this exemption certificate has effect for two years.

For further information please contact Jonas Griffin Fodaro, Planning Officer, on 07 4924 2918, or via email [RockhamptonSARA@dasilgp.qld.gov.au](mailto:RockhamptonSARA@dasilgp.qld.gov.au) who will be pleased to assist.

Yours sincerely



Brett Nancarrow  
**Acting Regional Director (Northern Region)**  
**Planning and Development Services**  
**Planning Group**



**LEGEND**

**Existing**

- Existing Bitumen Edge
- Existing Kerb & Channel
- Existing Bollards
- Existing Road Signs
- Existing solar luminaire, pole & power supply
- Existing Overhead Electricity (Line, Pole & Stay)
- Existing Water (Main & Fitting)
- Existing Irrigation Service and valve box
- Existing Sewer Rising Main
- Existing Sewer Main & Access Chamber
- Existing Effluent (Main & Fitting)
- Existing Tree
- Existing Park Table
- Existing Rubbish Bin
- Existing Park Bench
- Existing BBQ Shelter

**Proposed**

- Proposed 100mm Concrete Path/ Medians

**Future**

- Future Construction

- GENERAL NOTES**
- All services on drawing are representative only.
  - All underground services to be located prior to excavation.
  - Use of Hydro/ Vacuum Truck Excavation is preferred method to avoid unnecessary damage to existing services/ assets.
  - All dimensions are in metres unless otherwise shown.
  - Concrete to be N32 (32MPa) and in accordance with AS1379 and AS3600.
  - Reinforcement to be in accordance with AS1304.
  - Construction to be in accordance with CMDG.
  - Final positioning of new signs to be determined onsite by Open Spaces Supervisor, clear of all services.
  - Clearance to path edge 500mm, absolute min 300mm.

**PRELIMINARY**

14/05/2021

Surveyed: -
Date: -
Ref Mark: - R.L. -
Datum: Horiz. GDA 94 Vert. AHD
Zone: 56
Survey Book: -
Ancillary Project: -



AMENDMENTS DESCRIPTION	APPR'D	DATE



Drafted	MPR	22/10/18
Checked		
Endorsed		
Recomm.		

APPROVED \_\_\_\_\_  
 RPEQ No \_\_\_\_\_ DATE \_\_\_\_\_  
 COORDINATOR CIVIL DESIGN

**MERV ANDERSON PARK**  
 FIG TREE CREEK  
 PROPOSED ACCESS PATH  
 WORKING PLAN

Dwg No.	19-070-02
Sheet No.	2 of 2
Job No.	C.1126484
A	